




01/08/2026 01:26 PM

Quote #13321744


Prepared by: FN 50\_GEO INSTALLATIONS CORP\_Crew 1\_Windows

# DULCE JIMENEZ Project



# 1 Office

Quantity 1



Technical Drawing



Product

## Options

Product Details	
Description:	6100 Double Hung
Product Series:	6100
Product Type:	Double Hungs
WindowSet:	Double Hung
Room Location:	Office
Measurement Type:	Frame Size
Overall Frame Width:	30.75
Overall Frame Height:	53.25
Net Frame Width:	30.75
Net Frame Height:	53.25
Sash Split:	Even
Overall Frame Width:	30.75
Overall Frame Height:	53.25
Overall Rough Opening Width:	31
Overall Rough Opening Height:	53.5
DP Strategy:	Lowest Cost, Highest DP
Calculated Overall Rating:	30
Unit Type:	Complete Unit
Operation / Venting - OUTSIDE LOOKING IN:	Operating
Exterior Color Option:	White
Interior Color Option:	White
Frame Type:	Replacement Frame (2R)
Customer Elevation:	Below 7000 ft
Zip Code? (Job Location):	12524
Energy Star Climate Zone:	Energy Star Northern
TDI:	WIN-1601
Glass Packages:	Standard Glass Options
Lower Glass Style:	None
Upper Glass Style:	None
Low-E Glass Option:	ProSolar Low E
Upper Glass Strength:	Annealed (Not Tempered)
Lower Glass Strength:	Annealed (Not Tempered)
Laminated Glass:	None
Glass Tint:	None
Glass Thickness:	3/32 in - 3/32 out

Insulating Glass Options:	<i>Argon</i>
Insulating Glass Thickness:	<i>3/4"</i>
Insulating Glass Spacer:	<i>Intercept</i>
Screen Coverage:	<i>Half</i>
Mesh Style:	<i>Fiberglass</i>
Screen Frame:	<i>Extruded</i>
Screen Mullion:	<i>No</i>
Wrap Separate:	<i>No</i>
Screen Width:	<i>28</i>
Screen Height:	<i>26.375</i>
Number of Locks:	<i>2</i>
Upgrade to 2 locks?:	<i>No</i>
Lock Type:	<i>Cam</i>
Number of Air Latches:	<i>2</i>
Interior Hardware Finish:	<i>White</i>
Maximum Clearance Hardware:	<i>No</i>
Wood Blocks:	<i>No</i>
Sill Extender:	<i>No</i>
Head Expander:	<i>No</i>
Balance Track Covers:	<i>No</i>
Foam Wrap:	<i>Yes</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
U-Factor:	<i>0.31</i>
SHGC:	<i>0.3</i>
VT:	<i>0.53</i>
STC:	<i>0</i>
CPD_Number:	<i>SBP-A-112-10167-00001</i>
Meets Energy Star Zones:	<i>None</i>
SKU:	<i>1012665455</i>
SKU Description:	<i>6100</i>
Vendor Name:	<i>Simonton Windows</i>
Vendor Number:	<i>60014927</i>
Catalog Version Date:	<i>11/24/2025</i>
Glass Upgrade:	<i>No</i>
Spacer Upgrade:	<i>No</i>
Region:	<i>E</i>
Delivery Zone:	<i>M</i>
Product Line:	<i>61</i>

Sash Fully Open Clear Opening (Sq ft):	3.46
Sash Fully Open Clear Opening Width:	26.89
Sash Fully Open Clear Opening Height:	18.52
Bottom of Sash Clear Opening (Sq ft):	3.55
Bottom of Sash Clear Opening Width:	26.89
Bottom of Sash Clear Opening Height:	19.02
Bottom of Bulb Clear Opening (Sq ft):	3.46
Bottom of Bulb Clear Opening Width:	26.89
Bottom of Bulb Clear Opening Height:	18.52
Sash Removed Clear Opening (Sq Ft):	4.59
Sash Removed Clear Opening Width:	26.89
Sash Removed Clear Opening Height:	24.6
Window/Door Wraps - Up To 120 UI - Material Only:	HDE CAT WIN
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN

Line Item Adders	Original	New
------------------	----------	-----

**Window/Door Wraps - Up To 120 UI - Material Only**

Name:	Window/Door Wraps - Up To 120 UI - Material Only
Quantity:	1
Taxable:	No
Description:	1012085865_25774_26517
Short Description:	HDE CAT WIN

**Lead Safe Renovation -- Windows/Patio Doors**

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Overall Frame Width:	30	30.75
Overall Frame Width:	30	30.75
Overall Frame Height:	50	53.25
Overall Frame Height:	50	53.25
Net Frame Width:	30	30.75
Net Frame Height:	50	53.25
Overall Frame Width:	30	30.75
Overall Frame Width:	30	30.75
Overall Frame Height:	50	53.25
Overall Frame Height:	50	53.25
Overall Rough Opening Width:	30.25	31
Overall Rough Opening Height:	50.25	53.5


Screen Width:	27.25	28
Screen Height:	24.75	26.375
Foam Wrap:	No	Yes
Sash Fully Open Clear Opening (Sq ft):	3.06	3.46
Sash Fully Open Clear Opening Width:	26.14	26.89
Sash Fully Open Clear Opening Height:	16.9	18.52
Bottom of Sash Clear Opening (Sq ft):	3.16	3.55
Bottom of Sash Clear Opening Width:	26.14	26.89
Bottom of Sash Clear Opening Height:	17.4	19.02
Bottom of Bulb Clear Opening (Sq ft):	3.06	3.46
Bottom of Bulb Clear Opening Width:	26.14	26.89
Bottom of Bulb Clear Opening Height:	16.9	18.52
Sash Removed Clear Opening (Sq Ft):	4.17	4.59
Sash Removed Clear Opening Width:	26.14	26.89
Sash Removed Clear Opening Height:	22.97	24.6
Number Horizontal:	1	
<b>Fields to Validate</b>	<b>Original</b>	<b>New</b>
Overall Frame Width:	30	30.75
Overall Frame Height:	50	53.25
Net Frame Width:	30	30.75
Net Frame Height:	50	53.25
Overall Rough Opening Width:	30.25	31
Overall Rough Opening Height:	50.25	53.5
Screen Width:	27.25	28
Screen Height:	24.75	26.375
Foam Wrap:	No	Yes
Sash Fully Open Clear Opening Width:	26.14	26.89
Sash Fully Open Clear Opening Height:	16.9	18.52
Bottom of Sash Clear Opening Width:	26.14	26.89

Bottom of Sash Clear Opening Height:	17.4	19.02
Bottom of Bulb Clear Opening Width:	26.14	26.89
Bottom of Bulb Clear Opening Height:	16.9	18.52
Sash Removed Clear Opening Width:	26.14	26.89
Sash Removed Clear Opening Height:	22.97	24.6

Additional Work Info	Answers
----------------------	---------

Will a ladder or scaffolding be needed for this opening?:	Neither
---	---------

Is there a Window Sticker on this Opening?:	Yes
---	-----



Technical Drawing



Product

## 2 Office 2

Quantity 1

### Options

#### Product Details


Description:	6100 Double Hung
Product Series:	6100
Product Type:	Double Hungs
WindowSet:	Double Hung
Room Location:	Office
Measurement Type:	Frame Size
Overall Frame Width:	27.75
Overall Frame Height:	49.5
Net Frame Width:	27.75
Net Frame Height:	49.5
Sash Split:	Even
Overall Frame Width:	27.75
Overall Frame Height:	49.5
Overall Rough Opening Width:	28
Overall Rough Opening Height:	49.75
DP Strategy:	Lowest Cost, Highest DP
Calculated Overall Rating:	30
Unit Type:	Complete Unit
Operation / Venting - OUTSIDE LOOKING IN:	Operating
Exterior Color Option:	White
Interior Color Option:	White

Frame Type:	<i>Replacement Frame (2R)</i>
Customer Elevation:	<i>Below 7000 ft</i>
Zip Code? (Job Location):	<i>12524</i>
Energy Star Climate Zone:	<i>Energy Star Northern</i>
TDI:	<i>WIN-1601</i>
Glass Packages:	<i>Standard Glass Options</i>
Lower Glass Style:	<i>None</i>
Upper Glass Style:	<i>None</i>
Low-E Glass Option:	<i>ProSolar Low E</i>
Upper Glass Strength:	<i>Annealed (Not Tempered)</i>
Lower Glass Strength:	<i>Annealed (Not Tempered)</i>
Laminated Glass:	<i>None</i>
Glass Tint:	<i>None</i>
Glass Thickness:	<i>3/32 in - 3/32 out</i>
Insulating Glass Options:	<i>Argon</i>
Insulating Glass Thickness:	<i>3/4"</i>
Insulating Glass Spacer:	<i>Intercept</i>
Screen Coverage:	<i>Half</i>
Mesh Style:	<i>Fiberglass</i>
Screen Frame:	<i>Extruded</i>
Screen Mullion:	<i>No</i>
Wrap Separate:	<i>No</i>
Screen Width:	<i>25</i>
Screen Height:	<i>24.5</i>
Number of Locks:	<i>1</i>
Upgrade to 2 locks?:	<i>No</i>
Lock Type:	<i>Cam</i>
Number of Air Latches:	<i>2</i>
Interior Hardware Finish:	<i>White</i>
Maximum Clearance Hardware:	<i>No</i>
Wood Blocks:	<i>No</i>
Sill Extender:	<i>No</i>
Head Expander:	<i>No</i>
Balance Track Covers:	<i>No</i>
Foam Wrap:	<i>Yes</i>
Grille Type:	<i>None</i>
Grille Pattern:	<i>None</i>
U-Factor:	<i>0.31</i>
SHGC:	<i>0.3</i>

VT:	0.53	
STC:	0	
CPD_Number:	SBP-A-112-10167-00001	
Meets Energy Star Zones:	None	
SKU:	1012665455	
SKU Description:	6100	
Vendor Name:	Simonton Windows	
Vendor Number:	60014927	
Catalog Version Date:	11/24/2025	
Glass Upgrade:	No	
Spacer Upgrade:	No	
Region:	E	
Delivery Zone:	M	
Product Line:	61	
Sash Fully Open Clear Opening (Sq ft):	2.76	
Sash Fully Open Clear Opening Width:	23.89	
Sash Fully Open Clear Opening Height:	16.65	
Bottom of Sash Clear Opening (Sq ft):	2.84	
Bottom of Sash Clear Opening Width:	23.89	
Bottom of Sash Clear Opening Height:	17.15	
Bottom of Bulb Clear Opening (Sq ft):	2.76	
Bottom of Bulb Clear Opening Width:	23.89	
Bottom of Bulb Clear Opening Height:	16.65	
Sash Removed Clear Opening (Sq Ft):	3.77	
Sash Removed Clear Opening Width:	23.89	
Sash Removed Clear Opening Height:	22.72	
Window / Door Wraps - Labor Only (Per Each):	HDE CAT WIN	
Window/Door Wraps - Up To 120 UI - Material Only:	HDE CAT WIN	
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN	
<b>Line Item Adders</b>	<b>Original</b>	<b>New</b>
<b>Window / Door Wraps - Labor Only (Per Each)</b>		
Quantity:	1	1
<b>Window/Door Wraps - Up To 120 UI - Material Only</b>		
Quantity:	1	1
<b>Lead Safe Renovation -- Windows/Patio Doors</b>		
Quantity:	1	1

Change Details	Original	New
Overall Frame Width:	28	27.75
Overall Frame Width:	28	27.75
Overall Frame Height:	50	49.5
Overall Frame Height:	50	49.5
Net Frame Width:	28	27.75
Net Frame Height:	50	49.5
Overall Frame Width:	28	27.75
Overall Frame Width:	28	27.75
Overall Frame Height:	50	49.5
Overall Frame Height:	50	49.5
Overall Rough Opening Width:	28.25	28
Overall Rough Opening Height:	50.25	49.75
Screen Width:	25.25	25
Screen Height:	24.75	24.5
Number of Locks:	2	1
Foam Wrap:	No	Yes
Sash Fully Open Clear Opening (Sq ft):	2.83	2.76
Sash Fully Open Clear Opening Width:	24.14	23.89
Sash Fully Open Clear Opening Height:	16.9	16.65
Bottom of Sash Clear Opening (Sq ft):	2.91	2.84
Bottom of Sash Clear Opening Width:	24.14	23.89
Bottom of Sash Clear Opening Height:	17.4	17.15
Bottom of Bulb Clear Opening (Sq ft):	2.83	2.76
Bottom of Bulb Clear Opening Width:	24.14	23.89
Bottom of Bulb Clear Opening Height:	16.9	16.65
Sash Removed Clear Opening (Sq Ft):	3.85	3.77
Sash Removed Clear Opening Width:	24.14	23.89
Sash Removed Clear Opening Height:	22.97	22.72

Fields to Validate	Original	New
Overall Frame Width:	28	27.75
Overall Frame Height:	50	49.5
Net Frame Width:	28	27.75
Net Frame Height:	50	49.5
Overall Rough Opening Width:	28.25	28
Overall Rough Opening Height:	50.25	49.75
Screen Width:	25.25	25
Screen Height:	24.75	24.5
Foam Wrap:	No	Yes
Sash Fully Open Clear Opening Width:	24.14	23.89
Sash Fully Open Clear Opening Height:	16.9	16.65
Bottom of Sash Clear Opening Width:	24.14	23.89
Bottom of Sash Clear Opening Height:	17.4	17.15
Bottom of Bulb Clear Opening Width:	24.14	23.89
Bottom of Bulb Clear Opening Height:	16.9	16.65
Sash Removed Clear Opening Width:	24.14	23.89
Sash Removed Clear Opening Height:	22.97	22.72
Additional Work Info	Answers	
Will a ladder or scaffolding be needed for this opening?:	<i>Neither</i>	
Is there a Window Sticker on this Opening?:	Yes	



Technical Drawing

### 3 basement

Quantity 1

#### Options

Product Details	
Description:	6100 Hopper
Product Series:	6100
Product Type:	Hoppers
Room Location:	Office
Measurement Type:	Frame Size



Product

Overall Frame Width:	30
Overall Frame Height:	15.25
Net Frame Width:	30
Net Frame Height:	15.25
Overall Frame Width:	30
Overall Frame Height:	15.25
Overall Rough Opening Width:	30.25
Overall Rough Opening Height:	15.5
DP Strategy:	<i>Lowest Cost, Highest DP</i>
Calculated Overall Rating:	25
Unit Type:	<i>Complete Unit</i>
Operation / Venting - OUTSIDE LOOKING IN:	<i>Operating</i>
Exterior Color Option:	<i>White</i>
Interior Color Option:	<i>White</i>
Frame Type:	<i>Replacement</i>
Customer Elevation:	<i>Below 7000 ft</i>
Zip Code? (Job Location):	<i>12524</i>
Energy Star Climate Zone:	<i>Energy Star Northern</i>
Glass Packages:	<i>Standard Glass Options</i>
Glass Style:	<i>None</i>
Low-E Glass Option:	<i>ProSolar Low E</i>
Glass Strength:	<i>Annealed (Not Tempered)</i>
Laminated Glass:	<i>None</i>
Glass Tint:	<i>None</i>
Glass Thickness:	<i>1/8 in - 1/8 out</i>
Insulating Glass Options:	<i>Argon</i>
Insulating Glass Thickness:	<i>7/8"</i>
Insulating Glass Spacer:	<i>Supercept</i>
Screen Coverage:	<i>Full</i>
Mesh Style:	<i>Fiberglass</i>
Screen Frame:	<i>Extruded</i>
Wrap Separate:	<i>No</i>
Screen Width:	25
Screen Height:	10.25
Lock Type:	<i>Cam</i>
Coastal Hardware:	<i>No</i>
Interior Hardware Finish:	<i>White</i>
Wood Blocks:	<i>No</i>
Sill Extender:	<i>Yes</i>

Head Expander:	No
Foam Wrap:	Yes
Grille Type:	None
Grille Pattern:	None
U-Factor:	0.26
SHGC:	0.24
VT:	0.44
STC:	0
CPD_Number:	SBP-A-62-26897-00001
Title 24 Zone:	None
Meets Energy Star Zones:	None
SKU:	1012665455
SKU Description:	6100
Vendor Name:	Simonton Windows
Vendor Number:	60014927
Catalog Version Date:	11/24/2025
Glass Upgrade:	No
Spacer Upgrade:	Yes
Region:	E
Delivery Zone:	M
Lead Safe Renovation -- Windows/Patio Doors:	HDE CAT WIN

Line Item Adders	Original	New
------------------	----------	-----

**Lead Safe Renovation -- Windows/Patio Doors**

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Overall Frame Width:	27	30
Overall Frame Width:	27	30
Overall Frame Height:	13	15.25
Overall Frame Height:	13	15.25
Net Frame Width:	27	30
Net Frame Height:	13	15.25
Overall Frame Width:	27	30
Overall Frame Width:	27	30
Overall Frame Height:	13	15.25
Overall Frame Height:	13	15.25
Overall Rough Opening Width:	27.25	30.25
Overall Rough Opening Height:	13.25	15.5

Screen Width:	22	25
Screen Height:	8	10.25
Foam Wrap:	No	Yes
<b>Fields to Validate</b>	<b>Original</b>	<b>New</b>
Overall Frame Width:	27	30
Overall Frame Height:	13	15.25
Net Frame Width:	27	30
Net Frame Height:	13	15.25
Overall Rough Opening Width:	27.25	30.25
Overall Rough Opening Height:	13.25	15.5
Screen Width:	22	25
Screen Height:	8	10.25
Foam Wrap:	No	Yes
<b>Additional Work Info</b>	<b>Answers</b>	
Will a ladder or scaffolding be needed for this opening?:	<i>Neither</i>	
Is there a Window Sticker on this Opening?:	Yes	

Additional Project Details	Original	New
<b><i>Surcharge For Three Windows Or Less (Per Job)</i></b>		
Quantity:	1	1
<b><i>Permit Processing - Window/Patio Doors</i></b>		
Quantity:	1	1

## Measure Confirmation

You hereby acknowledge that The Home Depot re-measured your project to confirm its details, including dimensions, and to note any changes you requested to your project. This form is not a legally binding change order to your agreement with The Home Depot. If you requested any changes, you will be contacted by your sales consultant to discuss any resulting increase or decrease in the cost of your project, or the time to perform it, and to execute a binding change order for those changes.

I have read and acknowledged the Customer Reminder Form.



---

Customer Signature  
DULCE JIMENEZ

Signed at 01/08/2026 01:27 PM

---

Date



---

Measure Signature  
FN 50\_GEO INSTALLATIONS COF

Signed at 01/08/2026 01:26 PM

---

Date