


BLODGETT MEMORIAL LIBRARY

SITE PLAN SUBMISISON SET

37 BROAD STREET
VILLAGE OF FISHKILL, DUTCHESS COUNTY, NEW YORK
TAX MAP ID#: 133001-6155-08-787906



LOCATION MAP


SCALE: 1"=500'



VICINITY MAP

SCALE: 1"=100'

SEPTEMBER 3, 2026



OVERALL SITE PLAN

SCALE: 1"=20'

OWNER / APPLICANT CERTIFICATION

THE UNDERSIGNED, OWNER/APPLICANT OF THIS PROPERTY SHOWN HEREON, AND THE APPLICANT, HEREBY CERTIFY THAT WE ARE FAMILIAR WITH THIS MAP, ITS CONTENTS AND DETAILS, AND HEREBY AGREE TO THE TERMS AND CONDITIONS EXPRESSED HEREON, AND TO FILING OF THIS MAP IN THE OFFICE OF THE DUTCHESS COUNTY CLERK.

OWNER/APPLICANT

DATE

PLANNING BOARD APPROVAL

Approved by resolution of the Planning Board of the Village of Fishkill, New York, on the _____ day of _____, 20____, subject to all requirements and conditions of said resolution. Any changes, erasures, or revisions of this site plan as approved, shall void this approval.

Signed for the Planning Board:

Chairman _____ Date _____

DRAWING INDEX

SHEET NO.	DRAWING	TITLE
1	G-001	TITLE SHEET
2	EX-1	EXISTING CONDITIONS PLAN
3	C-100	DEMOLITION AND SITE PLAN
4	C-200	SITE UTILITIES AND EROSION CONTROL PLAN
5	L-100	LANDSCAPE PLAN
6	C-401	SITE DETAILS
7	C-402	UTILITY DETAILS
8	A-5	PROPOSED ELEVATIONS & RENDERING
9	A-6	SITE PHOTOMETRICS

ARCHITECT:

BUTLER ROWLAND MAYS ARCHITECTS, LLP
57 WEST HIGH STREET
BALLSTON SPA, NY 12020
518-885-1255

PLANNER:

KARC PLANNING CONSULTANTS, INC.
PO BOX 924
POUGHKEEPSIE, NY 12602

KARC
PLANNING CONSULTANTS, INC.

CIVIL ENGINEER / SURVEYOR:

Land Resource Consultants Engineering & Surveying, LLC
Loureiro NY, P.C.


www.lrcconsult.com
85 Civic Center Plaza, Suite 204 • 100 Northwest Drive
Poughkeepsie NY 12601 Plainville, CT 06062
(845) 243-2880 (860) 635-2877
Civil Engineering ~ Land Surveying ~ Landscape Architecture ~ Land Planning ~ Laser
Scanning & BIM ~ Subsurface Utility Engineering



SINCE BECOMING A SPECIAL LEGISLATIVE DISTRICT
LIBRARY, THE OFFICIAL INSTITUTION NAME IS BLODGETT
MEMORIAL LIBRARY

PROPERTY OWNER & APPLICANT:



FISHKILL LIBRARY ASSOCIATION
137 BROAD STREET
FISHKILL, NY 12524



RODNEY MORRISON License #074194

ORIGINALLY SUBMITTED: 9/3/2026

X:\USERS\JDB\2020\35-5135 BNY - FISHKILL - BLODGETT MEMORIAL LIBRARY\DWG\35-5134-SITE.DWG Tbl: C-100 Saved: 9/22/2026 7:31 AM by: SNC\JDB\JDB Paper Size: 24" x 36" Plotted: 9/22/2026 7:38 AM



ZONING SUMMARY CHART			
PARCEL INFORMATION			
PROJECT NAME	Blodgett Memorial Library Addition		
ADDRESS	37 Broad St.		
TAX MAP IDENTIFICATION	133001-6155-08-787906-0000		
ACREAGE	0.32 acres		
ZONING DISTRICT	R-7.5		
EXISTING USE	Library		
PROPOSED USE	Two-story addition and covered porch added to existing library		
BULK REQUIREMENTS			
ITEM	REQUIRED R-7.5	EXISTING	PROPOSED
Minimum Lot Area (a) (sq. ft.)	7,500	0.32 13,783 sf	0.32 13,783 sf
Minimum Lot Area per Dwelling Unit (sq.ft)	7,500 per 1-family	n/a	n/a
	10,000 per 2-family	n/a	n/a
Minimum Lot Width (ft)	75	94.84'	94.84'
Minimum Lot Depth (ft)	75	144-59'	144-59'
Minimum Front Yard (ft)	20	20'	26.3'
Minimum Side Yard (ft)	12	23'	26.3'
Minimum Rear Yard (ft)	20	49'	33.4'
Minimum Side Yard Accessory Building (ft)	5	22.9'	22.9'
Minimum Rear Yard Accessory Building (ft)	5	83.8'	83.8'
Maximum Building Height (ft)	30	LESS THAN 30'	32'-7" (V)
Maximum Building Height Accessory Building (ft)	20	Less than 20'	Less than 20'
Maximum Building Coverage (%)	35%	21.33%	25.95%
Site Plan Approval Required	Yes (b)		
	Reasonable and appropriate off-street parking requirements for structures and land uses which do not fall within the categories listed above shall be determined by the Planning Board and will be specified in the resolution approving the site plan.		
Parking Requirements		None	None
NOTES:			
(a). Width at main building line or street frontage, whichever is less.			
(b). No site plan approval required for one-family residence.			
(V) VARIANCE REQUIRED			

COMPACTION AND BACKFILL NOTES

UNLESS OTHERWISE SPECIFIED OR APPROVED BY THE SITE ENGINEER, ALL SITE SUBGRADE AND BACKFILL FOR ALL STRUCTURES INCLUDING, BUT NOT LIMITED TO, PARKING LOT SUBGRADE, ROAD SUBGRADE, CONCRETE PADS AND SIDEWALKS, WATER LINES AND STRUCTURES, SEWER LINES AND STRUCTURES, STORM LINES AND STRUCTURES, TRASH PADS/ENCLOSURES, AND SITE ELECTRICAL AND CONDUIT, SHALL BE COMPACTED IN ACCORDANCE WITH THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION (NYSDOT) STANDARD FOR CONSTRUCTION AND MATERIALS, DATED JANUARY 1, 2022 AND ALL ADDENDA THERETO.

GRADING AND DRAINAGE NOTES

- ANY DEMOLISHED OR CLEARED MATERIALS MUST BE REMOVED AND DISPOSED OF OFF SITE. ANY BURNING ON SITE SHALL BE SUBJECT TO LOCAL ORDINANCES. THESE INCLUDE ANY OBJECTS NOTED ON THE PLANS, INCLUDING BUT NOT LIMITED TO; TREES, STUMPS, FENCES, WALLS, ETC.
- CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES HAVING UNDERGROUND UTILITIES ON SITE OR IN THE RIGHT-OF-WAY PRIOR TO EXCAVATION. ALL UTILITIES MUST BE LOCATED AND MARKED OUT PRIOR TO THE START OF ANY SITE GRADING.
- SITE GRADING SHALL NOT PROCEED UNTIL ALL EROSION CONTROL MEASURES HAVE BEEN INSTALLED AND INSPECTED.
- CONTRACTOR TO FIELD VERIFY ALL EXISTING UTILITIES PRIOR TO THE START OF ANY CONSTRUCTION
- PROPOSED TRACK TO FOLLOW EXISTING GRADES OTHER THAN MINOR GRADING AT TRACK INTERCONNECTION TO EXISTING TRACK.
- NO PROPOSED FILL IS PROPOSED IN THE FLOODWAY / FLOODPLAIN THAT WOULD ADVERSELY AFFECT IT.
- NO CHANGE IN ELEVATIONS OF EXISTING GRADES ARE PROPOSED WITHIN FLOODPLAIN TO ADVERSELY AFFECT IT.

LEGEND

	EXISTING PROPERTY LINE
	BUILDING SETBACK LINE
	PROPOSED CONCRETE SIDEWALK
	PROPOSED DOOR LOCATION

GENERAL NOTES

- ALL CONSTRUCTION SHALL COMPLY WITH VILLAGE OF FISHKILL REQUIREMENTS AND SPECIFICATIONS.
- THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS REQUIRED BY GOVERNMENT AGENCIES PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL POST ALL BONDS, PAY ALL FEES, PROVIDE PROOF OF INSURANCE AND PROVIDE TRAFFIC CONTROL NECESSARY FOR THIS WORK.
- REFER TO OTHER PLANS AND DETAIL SHEETS FOR ADDITIONAL INFORMATION. THE CONTRACTOR SHALL VERIFY ALL SITE CONDITIONS IN THE FIELD AND CONTACT THE SITE ENGINEER IF THERE ARE ANY QUESTIONS OR CONFLICTS REGARDING THE CONSTRUCTION DOCUMENTS AND/OR FIELD CONDITIONS SO THAT APPROPRIATE REVISIONS CAN BE MADE PRIOR TO BIDDING. ANY CONFLICT BETWEEN DRAWINGS AND THE SPECIFICATIONS SHALL BE CONFIRMED WITH THE LOCAL CONSTRUCTION MANAGER PRIOR TO BIDDING.
- REFER TO THE DETAIL SHEETS FOR PAVEMENT, CURBING, AND SIDEWALK INFORMATION.
- ALTERNATIVE METHODS AND PRODUCTS OTHER THAN THOSE SPECIFIED MAY BE USED IF REVIEWED AND APPROVED BY THE SITE ENGINEER, AND THE APPROPRIATE REGULATORY AGENCIES PRIOR TO INSTALLATION.
- THE CONTRACTOR SHALL RESTORE ANY OF THE FOLLOWING IF THEY ARE NOTED TO REMAIN: UTILITY STRUCTURE, PIPE, UTILITY, PAVEMENT, CURBS, SIDEWALKS, OR LANDSCAPED AREAS DISTURBED DURING CONSTRUCTION TO THEIR ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE VILLAGE OF FISHKILL.
- TRAFFIC CONTROL MEASURES SHALL BE UTILIZED IN ACCORDANCE WITH VILLAGE OF FISHKILL AND NYSDOT.
- PAVEMENT MARKINGS SHALL BE FAST DRYING TYPE IN ACCORDANCE WITH VILLAGE OF FISHKILL WITH SPECIFICATIONS.
- THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OF ALL PRODUCTS, MATERIALS AND PLANT SPECIFICATIONS TO THE SITE ENGINEER AND OWNER FOR REVIEW AND APPROVAL PRIOR TO FABRICATION OR DELIVERY TO THE SITE. ALLOW A MINIMUM OF 14 WORKING DAYS FOR REVIEW. APPROVED SHOP DRAWINGS WILL BE PROVIDED BY THE ENGINEER AND COPIED TO THE VILLAGE OF FISHKILL.
- THE CONTRACTOR SHALL PROVIDE AND MAINTAIN TRAFFIC DEVICES FOR PROTECTION OF VEHICLES AND PEDESTRIANS CONSISTING OF DRUMS, BARRIERS, SIGNS, LIGHTS, FENCES AND UNIFORMED TRAFFIC MEN AS REQUIRED OR ORDERED BY THE ENGINEER OR REQUIRED BY THE LOCAL GOVERNING AUTHORITIES. CONTRACTOR SHALL MAINTAIN ALL TRAFFIC LANES AND PEDESTRIAN WALKWAYS AT ALL TIMES UNLESS WRITTEN APPROVAL FROM THE VILLAGE AND GOVERNING AUTHORITIES IS GRANTED.
- THE PROJECT DRAWINGS ARE GENERALLY DIAGRAMMATIC IN INDICATING THE PRESENCE OF EXISTING UNDERGROUND UTILITIES. INFORMATION ON EXISTING UTILITIES HAS BEEN COMPILED FROM AVAILABLE INFORMATION INCLUDING UTILITY COMPANY AND MUNICIPAL RECORD MAPS AND FIELD SURVEY AND IS NOT GUARANTEED TO BE CORRECT OR COMPLETE. UTILITIES ARE SHOWN TO ALERT THE CONTRACTOR OF THEIR PRESENCE AND THE CONTRACTOR IS SOLELY RESPONSIBLE FOR DETERMINING ACTUAL LOCATIONS AND ELEVATIONS OF ALL UTILITIES AND SERVICES. WHEN THE UTILITIES ARE TO BE LEFT IN PLACE, THE CONTRACTOR SHALL PROVIDE ADEQUATE MEANS OF SUPPORT AND PROTECTION DURING THE EXCAVATION AND BACKFILLING OPERATIONS.
- PRIOR TO DEMOLITION OR CONSTRUCTION THE CONTRACTOR SHALL CONTACT CALL BEFORE YOU DIG AT 1-800-862-7962 AT LEAST 72 HOURS BEFORE COMMENCEMENT OF WORK TO VERIFY ALL UTILITY LOCATIONS. CONTRACTOR SHALL NOT INTERRUPT EXISTING UTILITIES SERVING FACILITIES OCCUPIED AND USED BY THE OWNER OR OTHERS DURING OCCUPIED HOURS.
- IF ANY UNCHARTED OR INCORRECTLY CHARTED EXISTING PIPING OR OTHER UTILITY IS UNCOVERED DURING EXCAVATION, THE CONTRACTOR SHALL CONSULT THE SITE ENGINEER IMMEDIATELY FOR DIRECTIONS BEFORE PROCEEDING FURTHER WITH THE WORK.
- STORAGE OF FLAMMABLE AND HAZARDOUS MATERIALS SHALL BE IN COMPLIANCE WITH THE NYS FIRE AND BUILDING CODE.
- CONTRACTOR TO PROVIDE SITE ENGINEER WITH SUBMITTALS, ONCE APPROVED, COPIES WILL BE SUPPLIED TO VILLAGE ENGINEER AND APPROPRIATE VILLAGE DEPARTMENTS.
- PER THE VILLAGE OF FISHKILL GENERAL CODE CHAPTER 139: NOISE. THE CONTRACTOR WILL LIMIT WORK HOURS TO BETWEEN 7:00 AM & 8:00 PM WEEKDAYS AND SATURDAYS. CONTRACTOR SHALL COMPLY WITH ALL PROVISIONS OF CHAPTER 139.

STATE OF NEW YORK
COUNTY OF DUTCHESS
TOWN OF FISHKILL
VILLAGE OF FISHKILL

Land Resource Consultants
Engineering & Surveying, LLC
12601
85 Civic Center Plaza, Suite 204
Poughkeepsie, NY 12601
(845) 243-2880
100 Northwest Drive
Poughkeepsie, NY 12602
Land Planning & Design
Landscape Architecture
Civil Engineering
Surveying
Professional Seal
www.lrcnyc.com

SCALE
1"=10'

CONTRACT NO.
35-5134

DRAWN BY
SMC

DATE
09/03/2026

APPROVED BY
REM

DATE
09/03/2026


DEMOLITION AND SITE PLAN

BLODGETT MEMORIAL LIBRARY
37 BROAD STREET, VILLAGE OF FISHKILL, DUTCHESS COUNTY, NEW YORK
FISHKILL LIBRARY ASSOCIATION
137 BROAD STREET, FISHKILL, NY 12524

DRAWING
C-100

SHEET NO. 3 NO. OF SHEETS 9

X:\USERS\JDB\2020\JG-3435 BNY - FISHKILL - BLODGETT MEMORIAL LIBRARY\DWG\JG3435-BESC.DWG Tab: C-200 Saved: 8/27/2026 4:50 PM by JNCURBAN Paper Size: 24" x 36" Plotted: 8/28/2026 9:05 AM



EROSION AND SEDIMENT CONTROL PLAN

1. LAND DISTURBANCE WILL BE KEPT TO A MINIMUM; RESTABILIZATION WILL BE SCHEDULED AS SOON AS PRACTICABLE.
2. HAY BALE FILTERS OR SILTATION FENCE WILL BE INSTALLED AT ALL CULVERT OUTLETS AND ALONG THE TOE OF ALL CRITICAL CUT AND FILL SLOPES.
3. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE STANDARDS AND SPECIFICATION OF THE NEW YORK STATE EROSION & SEDIMENT CONTROL "BLUE BOOK" 2016.
4. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED PRIOR TO CONSTRUCTION WHENEVER POSSIBLE.
5. ALL CONTROL MEASURES SHALL BE MAINTAINED IN EFFECTIVE CONDITION THROUGHOUT THE CONSTRUCTION PERIOD.
6. ADDITIONAL CONTROL MEASURES SHALL BE INSTALLED DURING THE CONSTRUCTION PERIOD IF NECESSARY OR REQUIRED.
7. SEDIMENT REMOVED FROM CONTROL STRUCTURES WILL BE DISPOSED OF IN A MANNER WHICH IS CONSISTENT WITH THE INTENT OF THIS PLAN.
8. DUST CONTROL AND ANTI-TRACKING MAINTENANCE TO BE ADDRESSED AND RESOLVED ON A DAILY BASIS.

INSTALLATION OF SEDIMENTATION AND EROSION CONTROL MEASURES

1. SILT FENCE
 - A. DIG A SIX INCH TRENCH ON THE UPHILL SIDE OF THE DESIGNATED FENCE LINE LOCATION
 - B. POSITION THE POST AT THE BACK OF THE TRENCH (DOWNHILL SIDE), AND HAMMER THE POST AT LEAST 2.0 FEET INTO THE GROUND
 - C. LAY THE BOTTOM SIX INCHES OF THE FABRIC INTO THE TRENCH TO PREVENT UNDERMINING BY STORM WATER RUN-OFF.
 - D. BACKFILL THE TRENCH AND COMPACT.

OPERATION AND MAINTENANCE OF SEDIMENTATION AND EROSION CONTROL MEASURES

1. SILTATION FENCE
 - ALL SILTATION FENCES SHALL BE INSPECTED ONCE EVERY SEVEN DAYS. ALL DETERIORATED FABRIC AND DAMAGED POSTS SHALL BE REPLACED AND PROPERLY REPOSITIONED IN ACCORDANCE WITH THIS PLAN
 - SEDIMENT DEPOSITS SHALL BE REMOVED FROM BEHIND THE FENCE WHEN THEY EXCEED A HEIGHT OF ONE FOOT.

TEMPORARY VEGETATIVE STABILIZATION

1. ESTABLISHMENT OF TEMPORARY STRANDS OF GRASS BY SEEDING AND MULCHING EXPOSED SOILS THAT WILL BE EXPOSED. SEED BARE SOIL WITHIN SEVEN (7) DAYS OF EXPOSURE. UNLESS CONSTRUCTION WILL BEGIN WITHIN FOURTEEN (14) DAYS. IF CONSTRUCTION IS SUSPENDED, OR SECTIONS COMPLETED, AREAS SHOULD BE SEEDED DOWN OR MULCHED DOWN IMMEDIATELY. THIS WILL TEMPORARILY STABILIZE THE SOIL WITH A VEGETATIVE COVER THAT WILL PREVENT DAMAGE FROM WIND AND WATER EROSION AND SEDIMENTATION.
2. INSTALLATION: FERTILIZING, SEEDING, AND MULCHING WILL BE USED AS A TEMPORARY EROSION AND SEDIMENT CONTROL MEASURE ON ALL NON-PAVED DISTURBED AREAS. EXPOSED SOILS NOT SUBJECT TO CONSTRUCTION TRAFFIC SHALL BE SEEDED OR COVERED BY MULCH WITHIN SEVEN (7) DAYS, INCLUDING STOCKPILED SOIL MATERIALS. WITH REGARD TO THE TEMPORARY SEED MIX, REFER TO THE SEEDING MIXTURE TABLE PROVIDED ON THIS SHEET.
3. OPERATIONS AND MAINTENANCE: INSPECT SEEDED AREA AT LEAST ONCE A WEEK FOR SEED AND MULCH MOVEMENT AND RILL EROSION. WHERE SEED HAS MOVED OR WHERE SOIL EROSION HAS OCCURRED, DETERMINE CAUSE OF THE FAILURE. BIRD FEEDING MAY BE A PROBLEM IF MULCH WAS APPLIED TOO THINLY TO PROTECT SEED. RE-SEED AND RE-MULCH. IF MOVEMENT WAS A RESULT OF WIND, REPAIR EROSION DAMAGE, REAPPLY SEED, MULCH AND APPLY MULCH ANCHORING. IF FAILURE WAS CAUSED BY CONCENTRATED RUNOFF, INSTALL ADDITIONAL MEASURES TO CONTROL WATER AND SEDIMENT MOVEMENT, REPAIR EROSION DAMAGE, RE-SEED AND RE-APPLY MULCH WITH ANCHORING OR USE EROSION CONTROL BLANKET.

SEEDING AND MULCHING

ANY DISTURBED AREAS THAT WILL BE LEFT EXPOSED FOR MORE THAN 7 DAYS AND NOT SUBJECT TO CONSTRUCTION TRAFFIC, SHALL IMMEDIATELY RECEIVE SEEDING AND MULCHING. DISTURBED AREAS SHALL BE LIMITED AND BE COVERED WITH A LAYER OF TOPSOIL PRIOR TO SEEDING. SEEDING WILL BE INSPECTED FOR BARE SPOTS, WASH OUTS, AND HEALTHY GROWTH. IF REQUIRED, ADDITIONAL SEEDING SHALL BE PERFORMED. THE SEED MIX SPECIFIED FOR THIS SITE IS FROM THE NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL, TABLE 3.2 (SITE CHOICE 1B) WHICH IS AS FOLLOWS:

SPECIES (% BY WEIGHT)	PURE LIVE SEED VALUES LBS/1000 SF LBS/ACRE
15% FINE FESCUE	2.0 - 2.6
20% PERENNIAL RYEGRASS	0.6 - 0.8
65% KENTUCKY BLUEGRASS BLEND	0.4 - 1.6
	3.0 - 4.0


LEGEND

- PROPERTY LINE
- PROPOSED LIMIT OF DISTURBANCE (LOD)
- PROPOSED CONSTRUCTION ENTRANCE
- PROPOSED SOIL MATERIALS STOCKPILE AREA WITH SILT FENCE
- PROPOSED SILT FENCE
- PROPOSED SANITARY LINE
- PROPOSED WATER LINE
- PROPOSED SANITARY CLEANOUT
- PROPOSED GATE VALVE
- PROPOSED SANITARY DOGHOUSE MANHOLE
- PROPOSED ORANGE SAFETY FENCE

SITE UTILITIES AND EROSION CONTROL PLAN


BLODGETT MEMORIAL LIBRARY
37 BROAD STREET, VILLAGE OF FISHKILL, DUTCHESS COUNTY, NEW YORK
FISHKILL LIBRARY ASSOCIATION
137 BROAD STREET, FISHKILL, NY 12524

DRAWING
C-200
SHEET NO. 4 NO. OF SHEETS 9



Land Resource Consultants
Engineering & Surveying, LLC
Laurens N.Y., N.C.
85 Civic Center Plaza, Suite 304
Plainville, CT 06062
(860) 243-2880
www.lrcnyc.com

SCALE
1"=10'
CONV. NO.
35-3534
DATE
09/03/2026
DRAWN BY
SMC
APPROVED BY
REM




	CODE	QTY.	BOTANICAL NAME	COMMON NAME	ROOT	INSTALLED SIZE	MATURE SIZE (WxH)	COMMENTS
FOREIGN TREES	JVC	5	'JUNIPERUS VIRGINIANA 'CANARTII'	CANAERT EASTERN RED CEDAR	B&B	7-8' ht.	8-15x20-35'	Pyramidal
	JVT	6	'JUNIPERUS VIRGINIANA TAYLOR'	TAYLOR EASTERN RED CEDAR	B&B	7-8' ht.	3-4'x20'-20'	Narrow Upright
	PPF	4	PICEA PUNGENS 'FASTIGIATA'	COLUMNAR COLORADO BLUE SPRUCE	B&B	4-5' ht.	4'x15' ht.	Narrow Columnar
PERENNIALS:	ATG	18	ASCLEPIAS TUBEROSA 'GAY BUTTERFLIES'	GAY BUTTERFLIES BUTTERFLY MILKWEEDE	POT	#5P5	24-30" ht.	18" o.c.; Orange Shades
	ATU	12	ASCLEPIAS TUBEROSA	BUTTERFLY MILKWEEDE	POT	#5P5	18-24" ht.	18" o.c.; Yellow Shades


NOTE:

PRUNE TREES IN ACCORDANCE WITH APPROVED HORTICULTURAL STANDARDS (ANLA) IN ORDER TO PRESERVE THE NATURAL FORM OF THE SPECIFIC PLANTS

IF APPLICABLE & APPROVED BY THE LANDSCAPE ARCHITECT, ONE-FOURTH TO ONE-THIRD OF THE WOOD SHALL BE REMOVED BY THINNING OUT TO BALANCE ROOT LOSS DUE TO TRANSPLANTING.




3 CONIFER TREE PLANTING DETAIL
SCALE: 1/2" = 1'-0"




SECTION THROUGH PERENNIAL BED


- | | |
|--|---|
| PERENNIAL NOTES: | PERENNIAL UNLESS SPECIFIED OTHERWISE, PERENNIAL |
| 1. BULB/CORM PERENNIALS TO BE PLANTED IN FALL. POTTED PERENNIALS MAY | BED SOIL MIX SHALL BE: |
| 2. POTTED FERTILIZER AND WATER TO SOIL PRIOR TO PLANTING AND IN | 3 PARTS TOPSOIL |
| 3. DO NOT OVER COMPACT PLANTING BED. WATER THOROUGHLY AFTER PLANTING | 1 PART MANURE (WEED FREE) |
| 4. ADJUST PLANTING DEPTH AS RECOMMENDED BY BULB SUPPLIER. | 1 PART PART MOSS OR COMPOST |
| 5. PROVIDE DRAINAGE AS REQUIRED (PER PIPE "4" ADS) WHEN SUBGRADE IS | LIME (As recommended by soil |
| CLASSIFIED AS A HEAVY SOIL OR EXCESSIVELY COMPACTED. | analysis) |
| | "PERAGNITE" AT 5 LBS. PER 100 |
| | SQ. FT. |

2 ANNUAL/PERENNIAL AND GROUND COVER BEDS DETAIL
SCALE: 1/2" = 1'-0"







1 ACCESSIBLE CONC. RAMP PROFILE
SCALE: 1/4" = 1'-0"




2 CONCRETE STAIR WITH HANDRAIL
SCALE: 1/2" = 1'-0"




3 CONCRETE SIDEWALK SECTION DETAIL
SCALE: 1" = 1'-0"



4 STANDARD ASPHALT PAVING DETAIL
SCALE: 1" = 1'-0"




5 SILT FENCE DETAIL
SCALE: N.T.S.




- NOTES:
1. CONCRETE WASHOUT SIGN TO BE INSTALLED WITHIN 30 FEET OF THE TEMPORARY CONCRETE WASHOUT FACILITY.
 2. REMOVE HARDENED CONCRETE WHEN WITHIN 4" FROM TOP OF STRUCTURE.
 3. CONSTRUCT NEW FACILITIES ONCE CURRENT FACILITIES ARE TWO-THIRDS FULL. IF CONCRETE HAS NOT HARDENED CONSTRUCT NEW FACILITIES ONCE CURRENT FACILITY IS TWO-THIRDS FULL.
 4. LINERS, HAYBALES, ETC SHALL BE INSPECTED FOR DAMAGE. ANY DAMAGE SHALL BE REPAIRED PROMPTLY.
 5. SEPARATE FACILITIES TO BE USED FOR VEHICLE WASHING IF NEEDED.
 6. NO CONCRETE IS TO BE WASHOUT OUT ON THE GROUND IN ANY LOCATION.

6 ABOVE GROUND TEMPORARY CONCRETE/VEHICLE WASHOUT FACILITY DETAIL
SCALE: 1/8" = 1'-0"




- NOTES:
1. AREA CHOSEN FOR STOCKPILING OPERATIONS SHALL BE DRY AND STABLE.
 2. MAXIMUM SLOPE OF STOCKPILE SHALL BE 1V:2H.
 3. UPON COMPLETION OF SOIL STOCKPILING, EACH PILE SHALL BE SURROUNDED WITH SILT FENCING, THEN STABILIZED WITH VEGETATION OR COVERED.
 4. SEE SPECIFICATIONS FOR INSTALLATION OF SILT FENCE.
 5. HAYBALES OR SILT SOCKS TO BE USED WHERE STOCKPILES ARE LOCATED ON PAVED AREAS.

7 MATERIALS STOCKPILE DETAIL
SCALE: N.T.S.



8 ORANGE CONSTRUCTION FENCE DETAIL
SCALE: 1/2" = 1'-0"



Land Resource Consultants
Engineering & Surveying, LLC
Laurens NY, N.Y.
85 Civic Center Plaza, Suite 204
Laurens NY, 12061
(845) 243-2880
100 Northwest Drive
Plainville, CT 06062
Land Planning & EPM
Surveying & Mapping
www.lrcny.com


SCALE
AS NOTED
CONV. NO.
35-3434
DATE
09/03/2026
DRAWN BY
SMC
APPROVED BY
REM

DATE
09/03/2026
DATE
09/03/2026


SITE DETAILS
BLODGETT MEMORIAL LIBRARY
37 BROAD STREET, VILLAGE OF FISHKILL, DUTCHESS COUNTY, NEW YORK
FISHKILL LIBRARY ASSOCIATION
137 BROAD STREET, FISHKILL, NY 12524
DRAWING
C-401
SHEET NO. 6 NO. OF SHEETS 9

NOTES:

1. DOUBLE CLEANOUT TO BE INSTALLED ON ALL SEWER LATERALS WITHIN 10 FEET OF BUILDING FACE.
2. ANY LOCATIONS WITHIN PAVED AREAS SHALL HAVE COVERS THAT ARE H-20 LOAD RATED. ALL COVERS WHETHER IN PAVEMENT OR GRASS SHALL BE LABELED "SEWER".
3. ALL RISERS ARE TO MATCH THE SIZE OF THE SANITARY LINE.
4. IN LAWN AREAS INSTALL CONCRETE COLLAR 3 INCHES BELOW GRADE. COVER WITH TOP SOIL OR OTHER SURFACE TREATMENT AS DESIGNATED ON LANDSCAPE PLANS.



1 DOUBLE SANITARY SEWER CLEANOUT DETAIL
SCALE: N.T.S.




- NOTES:
1. IF COVER IS LESS THAN 4 FEET, INSULATION IS REQUIRED.
 2. SEE THIS SHEET FOR SUBGRADE AND BACKFILL PLACEMENT AND COMPACTION REQUIREMENTS.


2 SANITARY SEWER TRENCH DETAIL
SCALE: 1/2" = 1'-0"

NOTES:

1. INVERT SHALL BE FILLETED.
2. REINFORCEMENT FOR MANHOLE AND SLAB TOP SHALL BE DESIGNED BY A LICENSED CONNECTICUT STATE PROFESSIONAL ENGINEER PRIOR TO CONSTRUCTION. SHOP DRAWINGS SHALL BE SUBMITTED FOR REVIEW. STRUCTURE SHALL BE DESIGNED FOR HS20-44 VEHICULAR LOADING PLUS 25% IMPACT.
3. CONCRETE TO TEST 4000 P.S.I. AT 28 DAYS IN CONFORMANCE WITH A.S.T.M. C-478.
4. BENCH SHALL BE BUILT FOR FLOW BETWEEN INLET AND OUTLET.
5. EACH MANHOLE EXTERIOR SHALL RECEIVE TWO BITUMINOUS COATS.




3 DOGHOUSE SANITARY SEWER MANHOLE DETAIL
SCALE: 1/4" = 1'-0"




- NOTES:
1. SEE NOTE SHEET C-100 FOR SUBGRADE AND BACKFILL PLACEMENT AND COMPACTION REQUIREMENTS.

4 WATER MAIN TRENCH DETAIL
SCALE: 1" = 1'-0"



- NOTES:
1. WET TAP OF WATER MAIN SHALL BE PERFORMED UNDER THE SUPERVISION OF THE ENGINEER, AND THE VILLAGE OF FISHKILL WATER DEPARTMENT.
 2. TAPPING SLEEVE AND VALVE SUPPORT SHALL BE COORDINATED WITH THE ENGINEER TO SUIT FIELD CONDITIONS.
 3. MINIMUM DISTANCE TO JOINTS, FITTINGS, OR OTHER WET TAPS OR STOPS SHALL BE 3 FEET.
 4. VALVE OPERATING DIRECTION SHALL BE COUNTERCLOCKWISE TO OPEN (TURNING LEFT).
 5. STAINLESS STEEL TAPPING SLEEVE SHALL BE SELECTED TO FIT EXISTING PIPE MATERIAL (C.I., D.I., A.C.) AND OUTSIDE DIAMETERS.
 6. TAPPING SLEEVE, RESILIENT WEDGE VALVE & VALVE BOX SHALL BE IN ACCORDANCE WITH VILLAGE OF FISHKILL STANDARDS & AS MANUFACTURED BY (MUELLER) OR APPROVED EQUIVALENT.
 7. ALL JOINTS SHALL UTILIZE MEGA LUG RETAINER GLAND.
 8. PIPE BEDDING AND BACKFILL TO BE INSTALLED IN ACCORDANCE WITH PIPE TRENCHING DETAIL.

5 WATER TAPPING SLEEVE AND VALVE DETAIL
SCALE: 1" = 1'-0"



6 VALVE AND VALVE BOX DETAIL
SCALE: 1" = 1'-0"

SCALE		AS NOTED		DATE		NO. OF SHEETS	
35-3534		35-3534		09/03/2026		7	
DRAWN BY		APPROVED BY		DATE		NO. OF SHEETS	
SMC		REM		09/03/2026		9	

UTILITY DETAILS


BLODGETT MEMORIAL LIBRARY
37 BROAD STREET, VILLAGE OF FISHKILL, DUTCHESS COUNTY, NEW YORK
FISHKILL LIBRARY ASSOCIATION
137 BROAD STREET, FISHKILL, NY 12524

C-402

Land Resource Consultants
Engineering & Surveying, LLC
Lansing, NY, U.S.A.
85 Civic Center Plaza, Suite 204
Lansing, NY 12543
(845) 243-2880
100 Northwest Drive
Pawling, NY 12562
Land Planning & Design
www.lrcny.com

STATE OF NEW YORK
Professional Engineer
No. 07419
Exp. 12/31/2026
Signature: [Signature]


DATE
09/03/2026
DATE
09/03/2026




① WEST ELEVATION
1/8" = 1'-0"



② NORTH ELEVATION
1/8" = 1'-0"



③ EAST ELEVATION
1/8" = 1'-0"




④ SOUTH ELEVATION
1/8" = 1'-0"



⑤ CONCEPTUAL RENDERING
1 1/2" = 1'-0"

ISSUES AND REVISIONS

© THIS DRAWING AND THE CONTENTS THEREOF ARE THE SOLE AND PROPRIETARY PROPERTY OF BUTLER ROWLAND MAYS ARCHITECTS, LLP AND MAY NOT BE ALTERED, COPIED OR REPRODUCED BY ANY METHOD FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF BUTLER ROWLAND MAYS ARCHITECTS, LLP.



**BUTLER
ROWLAND
MAYS**
ARCHITECTS, LLP

57 West High Street
Ballston Spa
New York 12020

P: 518-885-1255
F: 518-885-1266
www.brmarchitects.com



9/3/2026 PLANNING
BOARD SUBMISSION

DATE: August 28, 2026

**PROPOSED
ELEVATIONS &
RENDERING**

TITLE

A-5

DWG. NO.

1. THIS LIGHTING DESIGN IS BASED ON INFORMATION SUPPLIED BY OTHERS TO BUTLER ROWLAND MAY ARCHITECTS, LLP. BUTLER ROWLAND MAY ARCHITECTS, LLP DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED TO IT. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS.

2. LUMINAIRE DATA IS TESTED TO INDUSTRY STANDARDS UNDER LABORATORY CONDITIONS. BUTLER ROWLAND MAY ARCHITECTS, LLP DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED TO IT. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS.

3. CONFORMANCE TO CALIFORNIA AND OTHER LOCAL REQUIREMENTS IS THE RESPONSIBILITY OF THE OWNER AND NOT THE OWNER'S REPRESENTATIVE.

THIS LIGHTING DESIGN IS BASED ON INFORMATION SUPPLIED BY OTHERS TO BUTLER ROWLAND MAY ARCHITECTS, LLP. BUTLER ROWLAND MAY ARCHITECTS, LLP DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED TO IT. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS.

THIS LIGHTING DESIGN IS BASED ON INFORMATION SUPPLIED BY OTHERS TO BUTLER ROWLAND MAY ARCHITECTS, LLP. BUTLER ROWLAND MAY ARCHITECTS, LLP DOES NOT WARRANT THE ACCURACY OF THE INFORMATION PROVIDED TO IT. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS. BUTLER ROWLAND MAY ARCHITECTS, LLP IS NOT RESPONSIBLE FOR THE DESIGN OF THE BUILDING OR THE BUILDING SYSTEMS.

Luminaire Schedule			
Symbol	Qty	Label	Description
⊕	2	S1	Hadco B9-DW (10w)
⊕	3	SW1	Gardco #GWS-A02-830-T3M
⊕	1	B1	Gardco #PBL-42-14L-200-NW-G2-3-UNV
⊕	6	D1	Lightolier #L5R15930VB L5RDW


Calculation Summary					
Label	CalcType	Units	Avg	Max	Min
Bollard Area	Illuminance	Fc	5.42	12.3	0.8
Front Porch Area	Illuminance	Fc	5.69	6.7	4.6
Ramp Area	Illuminance	Fc	1.57	9.0	0.5
Side Porch Area	Illuminance	Fc	5.26	7.2	1.6
Sign_Side	Illuminance	Fc	22.17	49.9	7.8
Wall Packs Area	Illuminance	Fc	1.32	2.7	0.3

Calculation/Layout Notes

- Calculations are the expected maintained illumination
- Calculations are measured at grade
- Surface reflectance is 20%
- Mounting Heights: Porch - 10ft, Wall Pack - 10ft, Bollard - 3.5ft (source)

LIGHTSPEC LLC | Project Name: Blodgett Memorial

DRAWN BY: DIS DATE: 8/21/2026 REVISION #: 3



Gardco PureForm LED bollard PBL integrates a sleek, low profile design, extraordinary light output, and energy savings into an innovative pedestrian scale luminaire. PureForm bollard features a high performance optical system designed to achieve wide spacing and full cutoff performance. Three heights available for a customized look. PBL optic ensure dust or moisture will never interfere with performance.

example: PBL-42-14L-400-NW-G2-3-UNV

Luminaire	Mount Height	Number of Lbs.	Price Bracket	LED Class - generation	Optics	Emergency	Height
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"
PBL	42"	14L	400	NW-G2	Gen 2	Gen 2	42"

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM
EM	EM	EM	EM

Options	Emergency	Height	Price
EM			